

## APPENDIX C

## Wild Leaves Used by Modern Villages

TABLE 7 Wild Leaves Used, by Village

<i>Nafaanra/ Twi name</i>	<i>Scientific name/Gloss</i>	Banda- Ahenkro	Bui	Dorbor	Dumpofie	Makala	Nyiire
<i>Ayoyo</i>			X			X	
<i>Bobnondele</i>		X		X		X	
<i>Bobono</i>		X					
<i>Bokoboko</i>		X					
<i>Bombo</i>	<i>Cassia occidentalis</i>	X				X	
<i>Bonku/ Gbonku</i>		X		X		X	
<i>Chasigbɔɔ</i>	<i>Ocimum gratissimum</i>			X	X		X
<i>Diagyakunu</i>		X				X	
<i>Diko</i>				X			
<i>Floe/Froe</i>	<i>Cissus populnea</i>	X	X	X	X	X	X
<i>Flewe</i>	<i>Pavetta crassipes</i>			X		X	
<i>Flongbe</i>		X					
<i>Flonye</i>	<i>Corchorus tridens</i>	X	X	X	X	X	X
<i>Fɔɔli</i>	<i>Corchorus olitorius</i>	X	X	X		X	

(Contd.)

TABLE 7 (*Continued*)

		Banda-Ahenkro	Bui	Dorbor	Dumpofie	Makala	Nyiire
<i>Fumbé</i>	<i>Vitex doniana</i>	X				X	
<i>Gabuwere</i>	<i>Wild onion</i>	X			X		
<i>Gbanja flonye</i>		X		X	X	X	
<i>Gboli</i>				X			
<i>Gbulo</i>		X		X			X
<i>Hanyini jlon</i>	<i>Trema orientalis</i>						
<i>Jamanyiri</i>	<i>Moringa sp.</i>			X			
<i>Jangboro</i>		X				X	
<i>Jelija</i>	<i>Hibiscus cannabinus</i>	X	X	X		X	X
<i>Jyakuno</i>				X	X	X	
<i>Jyangburu</i>				X	X		X
<i>Kafapoe/ kafapuwee</i>				X			X
<i>Kalameshia</i>		X				X	
<i>Kambgee</i>				X			
<i>Kemeshiama</i>		X					
<i>Klaklokagbé</i>	<i>Laportea aestuans</i>			X	X		
<i>Klandé</i>	<i>Cissus sp.</i>	X			X	X	X
<i>Klododu</i>	<i>Uvaria chamae</i>						
<i>Kokoyerere</i>				X	X	X	
<i>Koo</i>						X	
<i>Kpankpan</i>	<i>cf. Hymecardia acida</i>						
<i>Kputukputu</i>		X					
<i>Kuka/Gbongbo</i>	<i>Adansonia digitata</i>	X	X	X	X	X	
<i>Kusumpura</i>				X			
<i>Lakro</i>	<i>Bridelia feruginea</i>						
<i>Lóm</i>		X	X	X	X	X	
<i>Lombaoe/Longbowere</i>		X		X			
<i>Mbandele</i>							X
<i>Moliere</i>					X		

TABLE 7 (*Continued*)

	Banda-	Ahenkro	Bui	Dorbor	Dumpofie	Makala	Nyiire
<i>Nafaawere</i>		X					
	<i>Ocimum</i>						
<i>Napu</i>	<i>basilicum</i>	X		X	X	X	X
<i>Ndele</i>		X					
<i>Ngasingasi</i>					X		
<i>Ngbrengbre</i>				X			
<i>Ngoli</i>				X	X	X	
<i>Ngunochokambele</i>		X		X			
<i>Nom</i>			X				
<i>Nyanya</i>		X					X
<i>Nyiɛɛ</i>		X	X	X		X	X
<i>Mbabluwi</i>		X					
	<i>Parinari</i>						
<i>Peelolo</i>	<i>curatellifolia</i>						
	<i>Ficus</i>						
<i>Shia</i>	<i>gnaphalocarpa</i>					X	
<i>Sugbosemna</i>						X	
<i>Sulom</i>				X			
<i>Takatumo</i>		X					
	<i>Piliostigma</i>						
<i>Yomaa</i>	<i>thonningii</i>						
<i>Zinblekole</i>		X					
<i>Zizibi</i>				X			
<i>Total leaves named, by village</i>	32	8	31	20	23	11	

Identifications were limited to those leaves that could be collected (i.e., were in season and still available) and dried. Identifications were made by Dr. Patrick Ekpe, of the Botany Department and Herbarium of University of Ghana, Legon.